ONESITE GROUP

DRAINAGE AND GROUNDWORK CATALOGUE

.08



ORDER NOW
CALL **01763 293999**

CONTACT OUR TEAM TODAY AT
SALES@ONESITEGROUP.COM

WELCOME TO ONESITE GROUP

ONESITE GROUP

Since OneSite Group started in 2008, we have forged ahead, often during challenging times, and grown into the premium supplier of drainage, ducting & groundworks products to the construction industry across Hertfordshire, Bedfordshire, Buckinghamshire, Cambridgeshire, Essex, Suffolk & Norfolk.

We started out specialising in Underground Drainage and Brick Related Products — and groundworks and drainage remain at the heart of what we do. Since then, our stock has grown hugely, with over 20 ranges and 3,000 product lines in stock today, all backed by the depth of drainage and groundworks expertise we were built on.

Our mission is to fulfil our vision through doing what we say we'll do, fair pricing, speed of delivery, solving problems and dedicated team members.

With over 60 years of combined experience in the building industry, our team at OneSite Group will always insist on fast, simple and better solutions for your site — whatever's going on below ground or above it.

Our values — Hard Working, Positive, Hungry, Job Done Well, Solutions Minded — have built a team culture that is customer focused and understands exactly what you need.

OneSite Group understands that delivery is paramount to you. Key Performance Indicators are set in order to eliminate errors on dispatch in our relentless drive for 100% deliveries in full and on time, minimising downtime on site and giving you increased peace of mind.

Best wishes

The OneSite team



01 UNDERGROUND DRAINAGE 07



02 MANHOLE COVERS & CHANNEL DRAINS 23



03 DUCTING & ACCESS BOXES 29



04 WATER & BARRIER PIPE 35



05 ECO BLOCK & GEO MEMBRANES 39



06 DPM, CONCRETE LINTELS & ACCESSORIES 41



07 DPC, WALL TIES & VENTS 49



08 SITE EQUIPMENT, PPE, HANDTOOLS & BLADES 55





PLACING AN ORDER

WE KEEP THINGS SIMPLE FOR YOU

- ✓ All orders for stock products placed up to 4:30pm will be delivered the next working day.
- ✓ Deliveries within Hertfordshire, Bedfordshire, Buckinghamshire, Cambridgeshire, Essex, Suffolk & Norfolk are free on ANY size order.
- ✓ Deliveries outside of our standard delivery area are subject to carriage charge and may not be delivered next day.
- ✓ With an extensive fleet of trucks, most of our deliveries are made using our own vehicles to ensure goods are delivered carefully, on time and exactly where needed.

Ready to place your order? **Get in touch today!**

Call our Sales Team on 01763 293999
to order or discuss your requirements.

Email our helpful team at sales@onesitegroup.com
with your order request.

OneSite Group opening hours
Mon-Fri 6:30am-5:00pm

ORDER UP TO 4:30PM FOR
NEXT-DAY DELIVERY

WHERE DO WE DELIVER?

With delivery hubs in Hertfordshire and Norfolk it enables us to reach your sites across the region with a consistent next working day delivery service.







WHY YOU SHOULD CHOOSE ONESITE

- ✓ We're passionate about customer service, swiftly responding to your enquiries and questions.
- ✓ Exceptional product knowledge and comprehensive stocks.
- ✓ We offer next-day delivery on all stock products, so you can get your order fast!
- ✓ Our extensive product range and competitive pricing has been chosen in response to your needs.
- ✓ You'll even receive a FREE GIFT when you place an order over £350 (excluding VAT) with us!



FREE GIFTS with your orders!

Here at OneSite Group, we like to thank you for your business by sending out free gifts with your orders.

Claim your free gift!
Call our team on 01763 293999 to place your order today!

Orders over £350 + VAT:
Free tin of OneSite biscuits

Orders over £750 + VAT:
Free box of Kettle Chips

UNDERGROUND DRAINAGE

UNDERGROUND DRAINAGE 110MM 08
UNDERGROUND DRAINAGE 160MM 16
LAND DRAINS 20
SOAKAWAY CRATES 20





PIPE PLAIN END 110MM

Connects to existing clay or plastic drainage systems, accommodates thermal movement and has a push-fit installation.

CODE	VARIABLE	UNIT
14D110PP6	6m	Each



PIPE SINGLE SOCKET 110MM

Comes with a single socket which includes a sealing ring that can be lubricated for easy connection and provides a secure watertight seal.

CODE	VARIABLE	UNIT
14D110PS3	3m	Each
14D110PS6	6m	Each



PERFORATED PIPE SINGLE SOCKET 110MM

Our Duraflow perforated pipe is ideal for use as a soakaway system for septic tanks and sewerage treatment plants.

CODE	VARIABLE	UNIT
14D110PPS6	6m	Each



COUPLER DOUBLE SOCKET 110MM

Lightweight and easy to work with, with a push-fit joint. The use of silicone lubricant on all seals facilitates jointing.

CODE	VARIABLE	UNIT
14D110CD	Coupler	Each



SLIP COUPLER DOUBLE SOCKET 110MM

Useful for when repairing damaged pipes or in areas where space is tight as they can be slipped back and forth along the pipe.

CODE	VARIABLE	UNIT
14D110SCD	Slip Coupler	Each



SINGLE SOCKET BEND 110MM

Push-fit bend has a spigot at one end which should be installed in the direction of flow within the system.

CODE	VARIABLE	UNIT
14D110BS11	15°	Each
14D110BS22	30°	Each
14D110BS45	45°	Each
14D110BS90	90°	Each



DOUBLE SOCKET BEND 110MM

Push-fit bend has a spigot at one end which should be installed in the direction of flow within the system.

CODE	VARIABLE	UNIT
14D110BD11	15°	Each
14D110BD22	30°	Each
14D110BD45	45°	Each
14D110BD90	90°	Each



T BRANCH 110MM

Lightweight and easy to work with, with a push-fit joint. The use of silicone lubricant on all seal facilitates jointing.

CODE	VARIABLE	UNIT
14D110TD	Double Socket	Each
14D110TT	Triple Socket	Each



Y BRANCH 110MM

Lightweight and easy to work with, with a push-fit joint. The use of silicone lubricant on all seal facilitates jointing.

CODE	VARIABLE	UNIT
14D110YD	Double Socket	Each
14D110YT	Triple Socket	Each



DOUBLE SOCKET BEND ADJUSTABLE 110MM

Achieve any angle up to 90° for increased flexibility when installing drainage.

CODE	VARIABLE	UNIT
14D110BDA90	0-90°	Each



FLEXIBLE ADAPTOR 110-121MM TO 121-137MM

These flexible adaptors connect two pipes of different sizes, while bridging the difference in the outside diameters.

CODE	VARIABLE	UNIT
14MAC4000	110mm PVC to 4" Clay	Each



FLEXIBLE ADAPTOR 100-115MM TO 100-115MM

This adaptor helps repair broken drain by allowing you to insert a short new piece of pipe into an existing line.

CODE	VARIABLE	UNIT
14MDC115	110mm PVC to 110mm PVC	Each



REST BEND DOUBLE SOCKET

Comes with additional support legs to use at a base of a stack.

CODE	VARIABLE	UNIT
14D110RBD90	92.5° 110mm	Each



FLEXIBLE ADAPTOR 110-122MM TO 170-192MM

Ideal for connecting 110mm PVC pipe to a large clay or salt glaze pipe.

CODE	VARIABLE	UNIT
14MAC1922	110mm PVC to 6" Clay	Each



FLEXIBLE ADAPTOR 100-115MM TO 75-89MM

Ideal for connecting 110mm PVC pipe to original cast iron stack pipes or similar.

CODE	VARIABLE	UNIT
14MAC1155	110mm PVC to 75mm PVC	Each



LONG RADIUS BEND PLAIN END 110MM

Approximate length: 1000mm.

CODE	VARIABLE	UNIT
14D110LB45	45°	Each
14D110LB90	90°	Each



FIRE COLLAR FIRE STOP SEAL 110MM

This fire collar seal is used to block fire, smoke, and heat from spreading through holes where 110mm plastic pipes pass through walls or floors.

CODE	VARIABLE	UNIT
14FC	110mm	Each



SOCKET PLUG 110MM

Fits all 110mm pipe, fittings and chamber bases.

CODE	VARIABLE	UNIT
14SP110	110mm	Each

FOR PRODUCT ADVICE
CALL 01763 293999



BOTTLE GULLY (RODDABLE) CIRCULAR 110MM

Useful if you are adding a waste outlet to a combined system that has foul, rainwater and domestic 'grey' water discharging to the same drains.

CODE	VARIABLE	UNIT
14BGC	110mm	Each



BOTTLE GULLY (RODDABLE) RECTANGULAR 110MM

Useful if you are adding a waste outlet to a combined system that has foul, rainwater and domestic 'grey' water discharging to the same drains.

CODE	VARIABLE	UNIT
14BGR	110mm	Each



LOW LEVEL P TRAP GULLY 110MM

Designed to help ensure foul odours do not penetrate your underground drainage system and back towards the property.

CODE	VARIABLE	UNIT
14LPTG	110mm	Each



LOW TRAP UNIVERSAL GULLY 110MM

Designed to help ensure foul odours do not penetrate your underground drainage system and back towards the property.

CODE	VARIABLE	UNIT
14LTUG	110mm	Each



RECTANGULAR HOPPER

Often used in conjunction with P traps. The hopper head is connected via the spigot which push-fits into the P trap.

CODE	VARIABLE	UNIT
14HR	110mm	Each



SQUARE HOPPER

Designed for use with most underground drainage systems. The hopper will fill with water before discharging it to the drains, creating a syphon effect and ensuring the water clears quickly.

CODE	VARIABLE	UNIT
14HS	110mm	Each



CONCRETE GULLY SURROUND

Concrete gully surround is a precast concrete frame placed around an outside drainage opening to protect, support, and keep the drain clear.

CODE	VARIABLE	UNIT
14CGS232315	230x230x150mm	Each
14CGS462315	460x230x150mm	Each



NON-RETURN VALVE

Non-return valves effectively secure any rooms located on the lower floors against flooding caused by back flow of storm water and sewage which can result from intense rain, thaw or floods.

CODE	VARIABLE	UNIT
14D110NRV	110mm	Each



ROUND DOWNPIPE ADAPTOR BLACK

Ridge inside to slot neatly over both socket or spigot end of 110mm underground fittings. To suit 68mm round downpipe.

CODE	VARIABLE	UNIT
14ARD	110mm PVC Socket/Spigot to 68mm	Each



HOPPER REPLACEMENT GRID

Replacement grid for standard square drainage hoppers.

CODE	VARIABLE	UNIT
14HSRG	150x150mm	Each



SQUARE RODDING POINT

Sealed access. For use on drainage and rainwater systems.

CODE	VARIABLE	UNIT
14RPS110	110mm	Each



SQUARE/ROUND DOWNPIPE ADAPTOR

Designed to fit tightly over socket of 110mm fittings. Can be cut to suit most standard square or round downpipes.

CODE	VARIABLE	UNIT
14AUDSO	110mm PVC Socket	Each



110MM CHAMBER BASE 280MMØ

90° Inlet/Outlet.

CODE	VARIABLE	UNIT
14CB28090	280mmØ 90°	Each



CHAMBER RISER 280MMØ

CODE	VARIABLE	UNIT
14CR280	280mmØ 200mm Rise	Each



110MM CHAMBER BASE 320MMØ 3-INLET

CODE	VARIABLE	UNIT
14CB3203K	320mmØ 3-inlet	Each



CHAMBER RISER 320MMØ 130MM RISE

CODE	VARIABLE	UNIT
14CR32019K	320mmØ 130mm Rise	Each



110MM CHAMBER BASE 320MMØ 5-INLET

CODE	VARIABLE	UNIT
14CB3205	320mmØ 5-inlet	Each



CHAMBER RISER 320MMØ 400MM RISE

CODE	VARIABLE	UNIT
14CR32040	320mmØ 400mm Rise	Each



110MM CHAMBER BASE 450MMØ

Pre-fitted with 3 x 110mm socket plugs. Replacement plugs 14SP110 can be used if required.

CODE	VARIABLE	UNIT
14CB450110K	450mmØ 5-inlet	Each



CHAMBER RISER 450MMØ

Riser must be used with 450mmØ riser. Restrictor also required for inverts greater than 1m.

CODE	VARIABLE	UNIT
14CR450	450mmØ 200mm Rise	Each



CHAMBER RISER SEAL 450MMØ

Seal must be used with 450mmØ riser. Restrictor also required for inverts greater than 1m.

CODE	VARIABLE	UNIT
14CRS450	Seal 450mmØ	Each



CHAMBER RESTRICTOR 450MMØ

Restrictor to be used for inverts greater than 1m.

CODE	VARIABLE	UNIT
14CRE450	Restrictor 450mmØ	Each



FREE GIFTS with your orders!

Here at OneSite Group, we like to thank you for your business by sending out free gifts with your orders.

Claim your free gift!
Call our team on 01763 293999 to place your order today!



PIPE SINGLE SOCKET 160MM

Comes with a single socket which includes a sealing ring that can be lubricated for easy connection and will provide a secure watertight seal.

CODE	VARIABLE	UNIT
14D160PS6	6m	Each



COUPLER DOUBLE SOCKET 160MM

Lightweight and easy to work with, with a push-fit joint. The use of silicone lubricant on all seal facilitates jointing.

CODE	VARIABLE	UNIT
14D160CD	Coupler	Each



SINGLE SOCKET BENDS 160MM

Push-fit bend has a spigot at one end which should be installed in the direction of flow within the system.

CODE	VARIABLE	UNIT
14D160BS11	15°	Each
14D160BS22	30°	Each
14D160BS45	45°	Each
14D160BS90	90°	Each



DOUBLE SOCKET BENDS 160MM

Push-fit bend has a spigot at one end which should be installed in the direction of flow within the system.

CODE	VARIABLE	UNIT
14D160BD11	15°	Each
14D160BD22	30°	Each
14D160BD45	45°	Each
14D160BD90	90°	Each

READY TO EXPLORE EVEN MORE OF WHAT ONESITE OFFER?
VISIT US ON OUR WEBSITE ONESITEGROUP.COM



REDUCING BRANCH TRIPLE SOCKET

Manufactured for strength, durability and ease of installation with push-fit joints.

CODE	VARIABLE	UNIT
14D160TT110	T 160-110-160mm, 90°	Each
14D160YT110	Y 160-110-160mm, 45°	Each



LEVEL INVERT REDUCER

Reduces pipe from 160mm to 110mm with one spigot end and one socketed end.

CODE	VARIABLE	UNIT
14D160R110	160-110mm	Each



FLEXIBLE ADAPTOR 160-180MM TO 180-200MM

These flexible adaptors connect two pipes of different sizes, while bridging the difference in the outside diameters.

CODE	VARIABLE	UNIT
14MAC6000	160mm PVC to 6" Clay	Each



BRANCH TRIPLE SOCKET 160MM

Lightweight and easy to work with, with a push-fit joint. The use of silicone lubricant on all seal facilitates jointing.

CODE	VARIABLE	UNIT
14D160TT	90° T-Branch Triple Socket	Each
14D160YT	45° Y-Branch Triple Socket	Each



SOCKET PLUG 160MM

Fits all 160mm pipe and fittings and chamber bases.

CODE	VARIABLE	UNIT
14SP160	160mm	Each



FLEXIBLE ADAPTOR 150-165 TO 150-165MM

This adaptor helps repair broken 160mm drain by allowing you to insert a short new piece of pipe into an existing line.

CODE	VARIABLE	UNIT
14MDC165	160mm PVC to 160mm PVC	Each



160MM CHAMBER BASE 450MMØ 5-INLET

Fits all 160mm pipe and fittings and chamber bases.

CODE	VARIABLE	UNIT
14CB450160K	160mm, with 2x160 & 2x110mm inlets	Each



CHAMBER RISER 450MMØ

Riser must be used with 450mmØ riser. Restrictor also required for inverts greater than 1m.

CODE	VARIABLE	UNIT
14CR450	450mmØ 200mm Rise	Each



160MM CHAMBER BASE 600MMØ 5-INLET

If 110mm outlets are required, use level invert reducer (14D160R110) see page 18.

CODE	VARIABLE	UNIT
14CB600160	600mmØ 5-inlet	Each



CHAMBER RISER 600MMØ

CODE	VARIABLE	UNIT
14CR60010	600mmØ 1000mm Rise	Each
14CR60015	600mmØ 1500mm Rise	Each
14CR60020	600mmØ 2000mm Rise	Each



CHAMBER RISER SEAL 600MMØ

CODE	VARIABLE	UNIT
14CRS600	Seal 600mmØ	Each



CHAMBER RESTRICTOR 600MMØ

Restrictor to be used for inverts greater than 1m.

CODE	VARIABLE	UNIT
14CRE600	Restrictor 600mmØ	Each



DRAIN TEST PLUG 110MM

Centre locking drain test plug with steel plates, brass wing nuts and plastic blanking caps. Suitable for air or water testing of drains and sewers.

CODE	VARIABLE	UNIT
14D110TP	110mm	Each



DRAIN TEST PLUG 160MM

Centre locking drain test plug with steel plates, brass wing nuts and plastic blanking caps. Suitable for air or water testing of drains and sewers.

CODE	VARIABLE	UNIT
14D160TP	160mm	Each



PIPE CHAMFER TOOL 110MM

An absolute must-have tool for anyone in the construction industry who has to face the problems of chamfering and joining plastic pipes.

CODE	VARIABLE	UNIT
14PCT110	Hex Drive	Each



LUBRICANT

Used to minimise the jointing forces when laying plastic pipes. This lubricant is compatible with other sealing materials.

CODE	VARIABLE	UNIT
14LG08	1000g Gel Tub	Each
14LG10	500g Gel Tube	Each
04SS	400ml Silicone Spray	Each



FREE GIFTS with your orders!

Here at OneSite Group, we like to thank you for your business by sending out free gifts with your orders.

Claim your free gift!
Call our team on 01763 293999 to place your order today!



PERFORATED LAND DRAIN

Used to collect water through the small holes located around the pipe.

CODE	VARIABLE	UNIT
14PLD08050BK	80mmx50m	Each
14PLD10050BK	100mmx50m	Each
14PLD16025BL	160mmx25m	Each



YARD GULLY

Used as a surface water drainage trap for outdoor areas and carparks.

CODE	VARIABLE	UNIT
14YG300600	110mm Outlet 300x600mm	Each



YARD GULLY SILT BUCKET

Used to prevent water-borne soil from entering a pond or drainage system.

CODE	VARIABLE	UNIT
14YG300600SB	300x600mm	Each



SOAKAWAY CRATE

CODE	VARIABLE	UNIT
14DC020LD	Light-duty (20T) 0.2m³ 400x500x1200mm	Each
14DC020	Heavy-duty (60T) 0.2m³ 400x500x1200mm	Each



ROAD GULLY

Designed to discharge surface water from roads and highways.

CODE	VARIABLE	UNIT
14RG900480	160mm Outlet 900x480mm	Each



GULLY GRATE HINGED

Heavy-duty and anti-theft.

CODE	VARIABLE	UNIT
14RGGD3743H	D400 370x430mm	Each
14YGGB3030H	B125 300x300mm	Each





SILT TRAP 110MM

Silt trap with filter basket. Used to reduce build-up of silt and debris in soakaways.

CODE	VARIABLE	UNIT
14STF320110	110mm Inlet & Outlet. 320mmØ	Each






SILT TRAP 160MM

Silt trap with filter basket. Used to reduce build-up of silt and debris in soakaways.

CODE	VARIABLE	UNIT
14STF450160	160mm Inlet & Outlet. 450mmØ	Each

FEATURE PRODUCT



CHOOSING THE RIGHT CHANNEL DRAIN

Continuous surface water drainage for yards, hardstanding, driveways and thresholds. Channel, slot and threshold drains, available to order.

Huge range of channel drains, slot drains and threshold drains available to order. Stock held locally and delivered to your site tomorrow.

SCAN TO VIEW OUR FULL RANGE OF CHANNEL DRAINS NOW

- Efficient water collection
- Simple, cost effective installation
- Low maintenance
- Built for demanding environments
- Versatile applications

READY TO ORDER?

- Phone lines open from 6:30am
- Order before 4:30pm for next-day delivery
- Royston or Great Yarmouth

MANHOLE COVERS & CHANNEL DRAINS

MANHOLE COVERS 24
CHANNEL DRAINS 26

02





MANHOLE COVER PLASTIC SQUARE

Black polypropylene cover and frame. 3.5T load rating, suitable for light domestic use only. External dimensions: 305Wx20D / 438Wx37D / 560Wx80D.

CODE	VARIABLE	UNIT
14MCPS28	To suit 280mmØ	Each
14MCPS32	To suit 320mmØ	Each
14MCPSR45	To suit 450mmØ	Each



MANHOLE COVER PLASTIC ROUND

Black polypropylene cover and frame. 1.5T load rating, suitable for light domestic use only. External dimensions: 550Wx50D.

CODE	VARIABLE	UNIT
14MCPR45K	To suit 450mmØ	Each



MANHOLE COVER BLOCK PAVIOR

Recessed for block paving or slabs up to 60mm thick. Load ratings differ depending on the size required. External dimensions: 438Lx438Wx93D / 580Lx580Wx54D / 695Lx545Wx96D.

CODE	VARIABLE	UNIT
14MCBP083030	300x300mm 3.5T 80x300x300mm	Each
14MCBP084545	450x450mm 5.0T 80x450x450mm	Each
14MCBP084560	450x600mm 10T 80x450x600mm	Each



MANHOLE COVER SCREED

Recessed for concrete/screed infill. Galvanised steel cover with polypropylene frame. For use with 450mm manhole risers. External dimensions: 440Lx440Wx52H / 580Lx580Wx54H / 740Lx590Wx58H.

CODE	VARIABLE	UNIT
14MCS3030	5T 50x300x300mm	Each
14MCS4545	5T 50x450x450mm	Each
14MCS4560	5T 50x450x600mm	Each



MANHOLE COVER PRESSED STEEL GALVANISED

Galvanised mild steel cover with polypropylene frame. Includes integral lifting handles. External dimensions: 663Lx513Wx30D / 663Lx663Wx30D.

CODE	VARIABLE	UNIT
14MCGB4560	5T/B 450x600mm	Each
14MCGB6060	5T/B 600x600mm	Each
14MCGC4560	10T/C 450x600mm	Each



MANHOLE COVER DUCTILE IRON B125

12.5T load rating, ideal for driveways. Solid ductile iron cover and frame, including integral lifting keyholes (keys not included as standard).

CODE	VARIABLE	UNIT
14MCDB45R	450mmØ	Each
14MCDB4560	450x600mm	Each



MANHOLE COVER DUCTILE IRON D400 DOUBLE TRI

40T load rating, ideal for residential roadways and commercial developments; not to be used in carriageways. Double-Triangular ductile iron cover including 3-point suspension system to prevent rocking once installed. External dimensions: 728Lx728Wx100H.

CODE	VARIABLE	UNIT
14MCDD6060T	600x600mm	Each



ACCESS BOX COVER

Light Access Box Composite Cover & Frame B125.

CODE	VARIABLE	UNIT
14LABCCF3030	300x300mm	Each
14LABCCF4545	450x450mm	Each
14LABCCF6060	600x600mm	Each

SPEAK TO OUR CUSTOMER SERVICE TEAM FOR PRODUCT ADVICE CALL **01763 293999**



STOPCOCK COVER

Hinged lid with a large aperture and a simple locking function.

CODE	VARIABLE	UNIT
14SCC	140x115mm	Each



MANHOLE COVER KEYS

Heavy-duty iron lifting keys for the easy removal of manhole covers.

CODE	VARIABLE	UNIT
14OXT449102	Lifting Keys - Pair	Each



POLYPROPYLENE A15 SHALLOW

1.5T load rating. Shallow Channel Drain only 92mm in depth, ideal for use where you have limited space.

CODE	VARIABLE	UNIT
14CDPSA	1m	Each
14CDPSAEC	End Cap	Each



POLYPROPYLENE A15

1.5T load rating. Ideal for garage thresholds, patios and driveways. Black plastic base and mesh grate, including an optional knockout on the base for vertical outlet, easy to remove and clean 'snap-lock' grate, and quick installation with push-fit channel-to-channel connections.

CODE	VARIABLE	UNIT
14CDPA	1m	Each
14CDPQ	Quad Corner	Each
14CDPEC	End Cap/Outlet	(Pair)



POLYMER CONCRETE A15

1.5T load rating. Ideal for garage thresholds, patios and driveways. Polymer concrete base and slotted galvanised grate, including an optional knockout on the base for vertical outlet, easy to remove and clean 'snap-lock' grate, and quick installation with push-fit channel-to-channel connections.

CODE	VARIABLE	UNIT
14CDCAG	1m	Each
14DPCEC	End Cap	Each
14DPCEO	Outlet	Each



POLYMER CONCRETE B125

12.5T load rating. Ideal for use in regular light traffic applications. Comes with black ductile iron grate.

CODE	VARIABLE	UNIT
14CDCBD	1m	Each



POLYMER CONCRETE D400

40T load rating Channel Drain Polymer Concrete with D400 Ductile Iron Grating 1m.

CODE	VARIABLE	UNIT
14CDCDD	1m	Each
14CDCDEC	End Cap	Each
14CDCDEO	Outlet	Each

ORDER UP TO 4:30PM FOR NEXT-DAY DELIVERY



POLYMER CONCRETE B125 SILT BOX SUMP

12.5T load rating. Silt box sump for use with our Polymer Concrete B125 Channel Drain. Comes with black ductile iron grate.

CODE	VARIABLE	UNIT
14CDCBDS	Silt Box/Sump	Each



POLYMER CONCRETE D400 SILT BOX SUMP

40T load rating. Silt box sump for use with our Polymer Concrete D400 Channel Drain.

CODE	VARIABLE	UNIT
14CDCDDS	Silt Box/Sump	Each

SPEAK TO OUR CUSTOMER SERVICE TEAM FOR PRODUCT ADVICE CALL 01763 293999



POLYPROPYLENE BLOCK SLOT A15

1.5T rating. Leaves only a 10mm slot visible after installation, ideal for threshold drainage and landscaping.

CODE	VARIABLE	UNIT
14CDBPB	1m	Each
14CDBPEC	End Cap	Each



THRESHOLD CHANNEL DRAIN

Ideal for patios, driveways and other light applications. Eliminates the need to dig trenches, or provide deep excavations, keeping installation as simple as possible. Can also act as an effective expansion joint, or be used as a screed rail in the final pour. 'Clean out' panels enable rapid removal of any dirt or silt. Overall dimensions: 38Wx80D.

CODE	VARIABLE	UNIT
14TCD2	38mmx2m	Each
14TCDEC	End Cap	Each
14TCDIC	Internal Connector	Each
TCDMA	Mains Adaptor	Each



FREE GIFTS with your orders!

Here at OneSite Group, we like to thank you for your business by sending out free gifts with your orders.

Claim your free gift!
Call our team on 01763 293999 to place your order today!

Orders over £350 + VAT:
Free tin of OneSite biscuits

Orders over £750 + VAT:
Free box of Kettle Chips

DUCTING & ACCESS BOXES

DUCTING & ACCESS BOXES 30





BT DUCT 54MM GREY

Used for telecoms and data cables.

CODE	VARIABLE	UNIT
14BTD543	3m Socket End	Each



BT DUCT 96.5MM GREY

Used for telecoms and data cables.

CODE	VARIABLE	UNIT
14BTD966	6m Socket End	Each



BT DUCT FITTING 54MM GREY

Used for telecoms and data cables.

CODE	VARIABLE	UNIT
14BTD54B22	22½° Bend	Each
14BTD54B45	45° Bend	Each
14BTD54B90	90° Bend	Each
14BTD54C	Coupler	Each



BT DUCT FITTING 96.5MM GREY

Used for telecoms and data cables.

CODE	VARIABLE	UNIT
14BTD96B45	45° Bend	Each
14BTD96B90	90° Bend	Each
14BTD96C	Coupler	Each
14BTD96YB54	45° Y-Branch 96.5-54mm	Each



BT STAKKABOX ACCESS CHAMBER

BT Stakka Boxes are modular, underground access chambers used to house, protect, and manage telecommunications cables and infrastructure on the BT Openreach network.

CODE	VARIABLE	UNIT
14SBJMF102	JMF BT102 725x225x150mm	Each
14SBJMF104	JMF BT104 915x455x150mm	Each
14SBJMF106	JMF BT106 1310x610x150mm	Each



TWINWALL UTILITY DUCT 63/50MM

Used for cable protection underground. Coil includes nylon draw wire.

CODE	VARIABLE	UNIT
14TWU06350BK	50m Coil Black (inc. coupler)	Each
14TWU06350BU	50m Coil Blue (inc. coupler)	Each
14TWU06350GN	50m Coil Green (inc. coupler)	Each
14TWU06350ORSL	50m Coil Orange Street Lighting (inc. coupler)	Each
14TWU06350ORTS	50m Coil Orange Traffic Signals (inc. coupler)	Each
14TWU06350PU	50m Coil Purple (inc. coupler)	Each
14TWU06350YW	50m Coil Yellow (inc. coupler)	Each
14TWU063C	Coupler Double Socket	Each



TWINWALL LIGHT ACCESS BOX

Twinwall access boxes provide secure underground housing points for inspecting, joining, and maintaining cables.

CODE	VARIABLE	UNIT
14LAB3030	300x300x335mm	Each
14LAB4545	450x450x335mm	Each
14LAB6060	600x600x335mm	Each



TWINWALL UTILITY DUCT 110/94MM

Used for cable protection underground. Coil includes nylon draw wire.

CODE	VARIABLE	UNIT
14TWU11050BK	50m Coil Black (inc. coupler)	Each
14TWU11050BU	50m Coil Blue (inc. coupler)	Each
14TWU110C	Coupler Double Socket	Each



TWINWALL UTILITY DUCT 160/137MM

Used for cable protection underground. Coil includes nylon draw wire.

CODE	VARIABLE	UNIT
14TWU16025BK	25m Coil Black (inc. coupler)	Each

ARE YOU LOOKING FOR LUBRICANT
GO TO PAGE 19 ›



PERFORATED GAS DUCT YELLOW

Used to protect gas lines from the supply to the property.

CODE	VARIABLE	UNIT
14GD060YE	60mmx50m	Each
14GD110YE	100mmx50m	Each



POLYTHENE ELECTRIC DUCT

Used when installing cables. Polythene means it can withstand harsh rocky ground conditions whilst maintaining its structure.

CODE	VARIABLE	UNIT
14PED32025	37/32mm 25m Coil	Each
14PED32050	37/32mm 50m Coil	Each
14PED32100	37/32mm 100m Coil	Each
14PED32C	37/32mm Coupler	Each
14PED5050	60/50mm 50m Coil	Each



UNDERGROUND WARNING DETECTABLE TAPE

Bright colours and durable so can't be missed.

CODE	VARIABLE	UNIT
14UWDE	150mmx100m	Each



UNDERGROUND WARNING TAPE

Bright colours and durable so can't be missed.

CODE	VARIABLE	UNIT
14UWE	Electric Cable 150mmx356m	Each
14UWG	Gas Main 150mmx356m	Each
14UWW	Water Main 150mmx356m	Each

FREE GIFT
WITH ANY ORDER
OVER £350

SPEAK TO OUR CUSTOMER SERVICE TEAM FOR PRODUCT ADVICE CALL 01763 293999



TWINWALL ELECTRIC DUCT 148/125MM

Has a smooth internal bore and corrugated external wall providing excellent impact resistance, strength and durability.

CODE	VARIABLE	UNIT
14TWE1256	Pipe 6m (inc. coupler)	Each
14TWE125B11	Fitting - Bend 11¼°	Each
14TWE125B22	Fitting - Bend 22½°	Each
14TWE125B45	Fitting - Bend 45°	Each
14TWE125B90	Fitting - Bend 90°	Each
14TWE125C	Coupler	Each



UNDERGROUND WARNING TILE TAPE

The tile tape is designed to safeguard high-voltage electricity lines. It provides both a visual warning and physical shielding from buried utility cables.

CODE	VARIABLE	UNIT
14TTEW200	200mmx2.5mmx40m	Each

LOOKING FOR HANDTOOLS AND SITE EQUIPMENT ?

GO TO PAGE 62





FEATURE PRODUCT

KEEPING WATER WHERE YOU WANT IT

IMPERMEABLE GEOMEMBRANE

A flexible waterproof barrier that forms a watertight envelope around a geocellular tank. Rainwater is stored in the void space and released at a controlled rate — unlike a soakaway, it does not escape into the surrounding soil.

- Full containment of stored water
- Good puncture and chemical resistance
- Weldable for watertight joints
- Range of thicknesses, 0.5mm to 2mm

MATERIALS & THICKNESS

HDPE, LLDPE and polypropylene. HDPE for strength and puncture resistance, LLDPE for flexibility. Typically 0.5mm to 2mm.

WELDED JOINTS & PIPE SEALS

Hot-wedge and extrusion welding join sheets into one continuous envelope. Top-hat seals, puddle flanges and spigot adaptors seal every penetration.

PROTECTION FLEECE

Non-woven geotextile, commonly 300gsm, above and below the membrane. Inspect welds before covering.

WATER & BARRIER PIPE

WATER PIPE & FITTINGS 36

BARRIER PIPE & FITTINGS 38

04






MDPE SEWERAGE PIPE

MDPE black sewerage pipe used for pumped sewerage treatment tank outlets.


CODE	VARIABLE	UNIT
14MDPES3250	32mmx50m	Each
14MDPES6350	63mmx50m	Each



MDPE WATER PIPE 25MM

Duraflow blue water pipe is manufactured from medium density polyethylene (MDPE) and can withstand up to 12 bar in pressure.

CODE	VARIABLE	UNIT
14MDPE25025	25m	Each
14MDPE25050	50m	Each
14MDPE25100	100m	Each



MDPE WATER PIPE 32MM

Duraflow blue water pipe is manufactured from medium density polyethylene (MDPE) and can withstand up to 12 bar in pressure.

CODE	VARIABLE	UNIT
14MDPE32025	25m	Each
14MDPE32050	50m	Each
14MDPE32100	100m	Each

MDPE WATER PIPE 50MM

Duraflow blue water pipe is manufactured from medium density polyethylene (MDPE) and can withstand up to 12 bar in pressure.

CODE	VARIABLE	UNIT
14MDPE50025	25m	Each
14MDPE50050	50m	Each

READY TO EXPLORE EVEN MORE OF WHAT ONESITE OFFER?
VISIT US ON OUR WEBSITE ONESITEGROUP.COM



MDPE COUPLER

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25C	25mm	Each
14MDPE32C	32mm	Each
14MDPE50C	50mm	Each



MDPE TEE

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25T	25mm	Each
14MDPE32T25	32-25-32mm	Each
14MDPE32T	32mm	Each
14MDPE50T32	50-32-50mm	Each
14MDPE50T	50mm	Each



MDPE WALL PLATE ELBOW ¾”

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25WP	25mm	Each



MDPE ELBOW 90°

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25E	25mm	Each
14MDPE32E	32mm	Each
14MDPE50E	50mm	Each



MDPE END CAP

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25EC	25mm	Each
14MDPE32EC	32mm	Each
14MDPE50EC	50mm	Each



MDPE REDUCING COUPLER

Code does not include pipe inserts.


CODE	VARIABLE	UNIT
14MDPE32C25	32-25mm	Each
14MDPE50C32	50-32mm	Each



MDPE UNIVERSAL ADAPTOR TO 15-22MM

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25U	25mm	Each
14MDPE32U	32mm	Each



BARRIER WATER PIPE AND COUPLER

Aluminium barrier/impermeable surface protects against contaminants.

CODE	VARIABLE	UNIT
14BP25050	25mm - 50m	Each
14BP25100	25mm - 100m	Each
14BP32050	32mm - 50m	Each
14BP32100	32mm - 100m	Each

A push-fit coupler for joining straight sections of barrier pipe.

CODE	VARIABLE	UNIT
14BP25C	25mm	Each
14BP32C	32mm	Each



MDPE PIPE INSERT

Required for all MDPE fittings and couplers.

CODE	VARIABLE	UNIT
14MDPE25I	25mm	Each
14MDPE32I	32mm	Each
14MDPE50I	50mm	Each



MDPE PLASTIC STOPCOCK

Code does not include pipe inserts.

CODE	VARIABLE	UNIT
14MDPE25SP	25mm	Each
14MDPE32SP	32mm	Each
14MDPE50SP	50mm	Each




HOSE UNION BIB TAP BRASS ¾”

For outdoor use.

CODE	VARIABLE	UNIT
14TABR25	Brass Tap	Each

ECO BLOCK & GEO MEMBRANES

GEOTEXTILE MEMBRANES 40
GROUND SUPPORT 40





GEOTEXTILE LANDSCAPING FABRIC NON-WOVEN 2M

Non-woven is best for standing water or pooling.

CODE	VARIABLE	UNIT
14GLF2025	2x25m Handipack	Each

GEOTEXTILE LANDSCAPING FABRIC NON-WOVEN 4.5M

Non-woven is best for standing water or pooling.

CODE	VARIABLE	UNIT
14GLF4510	4.5x100m	Each



GEOTEXTILE LANDSCAPING FABRIC WOVEN

Use as a heavy-duty weed controller.

CODE	VARIABLE	UNIT
14GWF4510	4.5x100m	Each



ECO-BLOCK GROUND SUPPORT BLACK

Individual tile size: 333x333mm. 9 tiles = 1m². Bulk orders delivered pre-fitted in m² panels.

CODE	VARIABLE	UNIT
14ECOB333	333x333mm	Each

DPM, CONCRETE LINTELS & ACCESSORIES

CONCRETING ACCESSORIES 42

CONCRETE LINTELS 43

DPM & POLYTHENE PRODUCTS 44





REBAR

Other lengths and sizes are available to order.

CODE	VARIABLE	UNIT
24RB123	12mmx3m	Each
24RB163	16mmx3m	Each



TYING WIRE

Annealed Tying Wire for joining reinforcing bars and mesh together.

CODE	VARIABLE	UNIT
03TWB	1.6mmx9kg	Each



STRIKE RELEASE OIL

A release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed.

CODE	VARIABLE	UNIT
04SRO5	5 Litre	Each



REBAR PROTECTION CAPS

Used on site to cover the ends of cut rebar to prevent injury.

CODE	VARIABLE	UNIT
03RC616	6-16mm	Pk250



PLASTIC REINFORCING SPACER

These mesh spacers hold steel reinforcing mesh grids at the correct height in concrete.

CODE	VARIABLE	UNIT
03PRS4050	40/50mm	Pk200
03PRS6575	65/75mm	Pk200



DUCT TAPE

Silver all purpose duct tape, ideal for use when taping polythene or vapour barriers. Not to be used with gas barrier products.

CODE	VARIABLE	UNIT
19DT050SL	50mmx50m	Each
19DT075SL	75mmx50m	Each



CONCRETE LINTEL 140X65MM

Concrete service lintels are used to bridge gaps over service entries, like pipes or vents. They support the weight of the masonry blocks above these openings so the structure does not collapse.

CODE	VARIABLE	UNIT
23CL61406	600mm	Each
23CL61409	900mm	Each
23CL61412	1200mm	Each



DAMP PROOF MEMBRANE JOINTING TAPE

Lap tape for jointing DPM membranes. Not to be used with gas barrier products.

CODE	VARIABLE	UNIT
01DJT050	50mmx33m	Each
01DJT075	75mmx33m	Each



CONCRETE LINTEL 100X65MM

Concrete service lintels are used to bridge gaps over service entries, like pipes or vents. They support the weight of the masonry blocks above these openings so the structure does not collapse.


CODE	VARIABLE	UNIT
23CL1060	600mm	Each
23CL10690	900mm	Each
23CL10612	1200mm	Each



POLYTHENE DAMP PROOF MEMBRANE

BBA approved, successfully keeps out any moisture. Should always be used with jointing tape.

CODE	VARIABLE	UNIT
01DPM125	125mu/500g 4x50m	Each
01DPM250	250mu/1000g 4x25m	Each
01DPM300	300mu/1200g 4x25m	Each
01DPM500	500mu/2000g 4x12.5m	Each



POLYTHENE VAPOUR BARRIER 125MU/500G

Green vapour barrier used in dry lining walls. Prevents ingress of moisture into un-ventilated voids.

CODE	VARIABLE	UNIT
01VB400	4x50m	Each



POLYTHENE TEMPORARY SHEETING 35MU/140G

Covers up screed to prevent drying out.

CODE	VARIABLE	UNIT
01TPS	4x25m	Each



POLYTHENE HEAVY-DUTY CLEAR 250MU/1000G 4X25M

Heavy-duty clear polythene for longer term applications. Not to be used as a damp proof membrane.

CODE	VARIABLE	UNIT
01TPS	4x25m	Each



LIQUID BITUMEN DPM

Acts as a DPM for floors and a waterproofer for walls and steel. Coverage: 1-2m per litre.

CODE	VARIABLE	UNIT
01LB05	5 Litre	Each
01LB25	25 Litre	Each

READY TO EXPLORE EVEN MORE OF WHAT ONESITE OFFER?
VISIT US ON OUR WEBSITE ONESITEGROUP.COM



STANDARD PAINT ROLLER KIT

Ideal for use with liquid DPM when applying to a larger area.

CODE	VARIABLE	UNIT
16PRS225K	225mm	Each

TAR BRUSH

For use with liquid DPM.

CODE	VARIABLE	UNIT
16TBS	Short	Each



GAS RESISTANT DPC

Visqueen Gas Resistant DPC Foil Backed. Used with the Gas Barrier Membrane to continue the gas barrier through masonry walls.

CODE	VARIABLE	UNIT
01GRD0600	600mmx30m	Each



GAS BARRIER MEMBRANE

Visqueen NF-400 Gas Barrier offers a safe solution for the protection of buildings against methane, radon and carbon dioxide, when installed in accordance with the relevant codes of practice. See fitting instructions and specifying guide.

CODE	VARIABLE	UNIT
01GBM50	2.4x43.5m Blue	Each



DOUBLE-SIDED BUTYL MASTIC JOINTING TAPE

Visqueen butyl mastic tape for jointing Gas Barrier Membrane. Use in conjunction with Gas Barrier Foil joining Tape.

CODE	VARIABLE	UNIT
01DSBMT5	50mmx10m	Each



GAS BARRIER FOIL JOINTING TAPE

Visqueen NF-60 lap tape for joining Gas Barrier Membrane. Use in conjunction with Double-Sided Jointing Tape.

CODE	VARIABLE	UNIT
01FBLT75	60mmx45m	Each



GAS MEMBRANE TOP HAT UNIT

Visqueen Top Hat Unit (inc. Jubilee Clip) used to provide an effective seal around pipe penetrations through Gas Barrier Membranes.

CODE	VARIABLE	UNIT
01TH110	110mmØ	Each



SELF ADHESIVE DAMP PROOF TANKING MEMBRANE

Visqueen Self Adhesive Damp Proof Tanking Membrane is a tough, high-density, self-adhesive polythene membrane for above and below ground applications. Suitable for both vertical and horizontal applications.

CODE	VARIABLE	UNIT
01SAM	1x20m	Each



HIGH PERFORMANCE TANKING PRIMER

Visqueen High Performance Tanking Primer is a priming solution designed to prepare surfaces prior to the application of self adhesive and torch applied damp proof and tanking membranes.

CODE	VARIABLE	UNIT
01HPP5	5 Litre	Each



FEATURE PRODUCT

WHAT'S THE PURPOSE OF GEOGRID



THE SHORT ANSWER AND HOW IT WORKS

Geogrid reinforces soil and aggregate by interlocking with the material, creating a stronger, more stable layer. It distributes loads, reduces rutting and lateral movement, and improves bearing capacity.

- Strengthens weak soil
- Spreads loads over a wider area
- Improves slope/ wall stability
- Reduces rutting and deformation
- Stops aggregate movement

WHERE IT'S USED

APPLICATION	PURPOSE OF GEOGRID
Roads & driveways	Stabilizes base layers, distributes traffic loads, reduces rutting
Retaining walls	Reinforces soil mass behind the wall facing
Slopes & embankments	Reduces soil movement, improves resistance to sliding
Parking lots & yards	Supports repeated vehicle and equipment loading
Construction access roads	Improves temporary working-platform stability

GEOGRID VS GEOTEXTILE

MATERIAL	MAIN PURPOSE	TYPICAL FUNCTION
Geogrid	Reinforcement & stabilization	Interlocks with aggregate to distribute loads & reduce movement
Geotextile	Separation, filtration, drainage	Prevents soil mixing, allows water flow, protects layers

DPC, WALL TIES & VENTS

DPC 50

WALL TIES 51

TELESCOPIC VENTS & AIRBRICKS 51

METER BOXES 53

07





OPTIMIX MORTAR PLASTICISER

Optimix is a range of concentrated admixtures. 1L is the equivalent to 25L of standard admixtures.

CODE	VARIABLE	UNIT
04MPC1	1 Litre	Each



VISQUEEN HOUSING GRADE DPC

Suitable for housing constructions up to three storeys. Strong, puncture resistant and has excellent workability in winter conditions. Contains no hazardous pitch or PVC plasticisers.

CODE	VARIABLE	UNIT
01ZHG100	100mmx20m	Each
01ZHG150	150mmx20m	Each
01ZHG225	225mmx20m	Each
01ZHG450	450mmx20m	Each
01ZHG600	600mmx20m	Each



POLYTHENE DAMP PROOF COURSE

Conforms to BS 6515. Suitable for use in vertical and horizontal applications on single or two storey extensions.

CODE	VARIABLE	UNIT
01DPC100	100mmx30m	Each
01DPC150	150mmx30m	Each
01DPC225	225mmx30m	Each
01DPC300	300mmx30m	Each
01DPC450	450mmx30m	Each
01DPC600	600mmx30m	Each
01DPC900	900mmx30m	Each



VISQUEEN ZEDEX CPT POLYMERIC DPC

Formed from Co-Polymer Thermoplastic (CPT) and contains no pitch, bitumen or PVC. This DPC outperforms all other DPCs and is compatible with Visqueen gas protection products.

CODE	VARIABLE	UNIT
01ZED100	100mmx20m	Each
01ZED150	150mmx20m	Each
01ZED225	225mmx20m	Each
01ZED300	300mmx20m	Each
01ZED450	450mmx20m	Each
01ZED600	600mmx20m	Each



WALL TIE TYPE 1

Heavy-duty wall tie, can be used on all types of buildings, tested to Type B (sound) and Type 1 (strength) BS EN 845-1.

CODE	VARIABLE	UNIT
03WT1225	225mm	Pk250
03WT1250	250mm	Pk250
03WT1275	275mm	Pk250



WALL TIE TYPE 2

Medium-duty general purpose wall tie, for use on most domestic and some small commercial properties. Can be used up to 15m/3 storeys. Replaces Double Tri wall tie, tested to Type A (sound) and Type 2 (strength) BS EN 845-1.

CODE	VARIABLE	UNIT
03WT2225	225mm	Pk250
03WT2250	250mm	Pk250
03WT2275	275mm	Pk250



WALL TIE TYPE 4

General purpose, light-duty wall tie, suitable for domestic dwellings for up to 10m/2 storeys (replaces butterfly wall ties). Tested to Type A (sound) Type 4 (strength) BS EN 845-1.

CODE	VARIABLE	UNIT
03WT4200	200mm	Pk250
03WT4225	225mm	Pk250
03WT4250	250mm	Pk250
03WT4275	275mm	Pk250
03WT4300	300mm	Pk250



PERISCOPE VENT TELESCOPIC

Used with a combination airbrick to provide ventilation beneath suspended ground floors. Airflow is 6000mm^2 (building regs). Must be spaced at 2m centres, or 1m centres when used with a clay airbrick.

CODE	VARIABLE	UNIT
02PVT	3-5 Course	Each
02PVTXL	5-7 Course	Each
02PVTXLPLUS	5-7 Course (150mm+ cavity)	Each



PERISCOPE VENT EXTENSION

Fit between the upper and lower parts of a periscope vent, for vertical steps of more than 5 brick courses or wall widths over 300mm cavity. Can be multi-stacked for greater height.

CODE	VARIABLE	UNIT
02PVVE	Vertical Extension	Each
02PVHFE	Horizontal Front Extension	Each
02PVHRE	Horizontal Rear Extension	Each



PERISCOPE VENT DUCT ADAPTOR 110MM

Fits on the lower rear opening of a periscope vent to allow a standard 110mm underground drainage pipe to be connected.

CODE	VARIABLE	UNIT
02PVDA	Periscope Vent Duct Adaptor 110mm	Each



PVC AIRBRICK 9X3”

A robust polypropylene airbrick, used for underfloor ventilation. Dimensions: 215Wx69Hx60D. Can be clipped together to form 9x6” and 9x9” sizes. Airflow 6170mm².

CODE	VARIABLE	UNIT
02AP93BF	Buff	Each
02AP93BK	Black	Each
02AP93TR	Terracotta	Each



CLAY AIRBRICK TERRACOTTA

Ideal for use on heritage properties.

CODE	VARIABLE	UNIT
02AC93TR	9x3"	Each
02AC96TR	9x6"	Each



HESSIAN

Hessian fabric is used to protect new brickwork/ blockwork against frost, heavy rain and strong sunlight.

CODE	VARIABLE	UNIT
02H50	1.38x46m	Each

SPEAK TO OUR CUSTOMER SERVICE TEAM FOR PRODUCT ADVICE CALL 01763 293999



METER BOX HOCKEY STICK

CODE	VARIABLE	UNIT
02MBHSWH38	White 38mmx1.5m	Each
02MBHSBK50	White 48mm	Each



METER BOX RECESSED ELECTRICITY

Manufactured in glass reinforced plastic. Overall dimensions: 409Wx595Hx210D. Brickwork opening dimensions: 365Wx535Hx150D.

CODE	VARIABLE	UNIT
02MBREWH	White	Each
02MBREBR	Brown	Each



METER BOX KEY

Replacement or spare key for gas and electric meter boxes.

CODE	VARIABLE	UNIT
02MBK	Yellow	Each
02MBK	Blue	Each



METER BOX RECESSED ELECTRICITY 3-PHASE

CODE	VARIABLE	UNIT
02MBRE3WH	White	Each



METER BOX RECESSED GAS

Manufactured in glass reinforced plastic. Overall dimensions: 409Wx595Hx210D. Brick opening dimensions: 365Wx535Hx150D.

CODE	VARIABLE	UNIT
02MBRGWH	White	Each

ORDER UP TO 4:30PM FOR NEXT-DAY DELIVERY



CHEMICAL ANCHOR RESIN

A two-part rapid cure resin for setting bolts, studs and wall ties into concrete and brick structures e.g. to secure steelwork, steel wallplates and timber stud work. 300ml cartridge will fit a standard sealant gun. One nozzle supplied per tube.

CODE	VARIABLE	UNIT
04CAR300	300ml	Each
04CAR410	410ml	Each
04CARNE	Nozzle extension 200mm	Each
04CARNO	Spare nozzle	Each



NON-SHRINK GROUT

Non-shrink cementitious grout, designed primarily as a pourable grout but can also be used at a plastic or dry pack consistency. Ideal for packing beneath steel base plates and general void filling under paving, in rubble walls, etc. Approximate yield: 14L when combined with 4L of water. Full technical information available on request.

CODE	VARIABLE	UNIT
04NSG25	25kg	Each



FREE GIFTS with your orders!

Here at OneSite Group, we like to thank you for your business by sending out free gifts with your orders.

Claim your free gift!
Call our team on 01763 293999 to place your order today!

Orders over £350 + VAT:
Free tin of OneSite biscuits

Orders over £750 + VAT:
Free box of Kettle Chips

SITE EQUIPMENT, PPE, HANDTOOLS & BLADES

DIAMOND BLADES 56

SITE EQUIPMENT & ROPE 59

PPE & HANDTOOLS 62





TEC10 GENERAL PURPOSE DIAMOND BLADE

Long-life general purpose blade for all basic site applications. Not suitable for use on metal.

CODE	VARIABLE	UNIT
18SDB115	115/22mm	Each
18SDB230	230/22mm	Each
18SDB300	300/20mm	Each
18SDB350	350/20mm	Each



DCX DOUBLE SIX DIAMOND BLADE

Extra long life general purpose blade, with a 12mm segment. All round high performance.

CODE	VARIABLE	UNIT
18DCX230	230/22mm	Each
18DCX300	300/20mm	Each
18DCX35025	350/25.4mm	Each



TX10R MULTI-STEEL DIAMOND BLADE

Guaranteed to cut all construction products including metal. Long lasting, fast cutting, including hard materials. Features cooling holes.

CODE	VARIABLE	UNIT
18MDB115	15/22mm	Each
18MDB230	230/22mm	Each
18MDB300	300/20mm	Each
18MDB350/20	350/20mm	Each



ZCA FLOOR SAW DIAMOND BLADE

Dual purpose floor saw blade with 10mm segment height. Featuring wedge segment, undercut protection and narrow gullet.

CODE	VARIABLE	UNIT
18ZCA350	350/25.4mm	Each
18ZCA450	450/25.4mm	Each



DCA GENERAL PURPOSE & ASPHALT DIAMOND BLADE

Abrasive and general purpose blade with 10mm segment. Use for: general and abrasive building products, concrete paviors, concrete roof tiles, hard asphalt, breeze blocks.

CODE	VARIABLE	UNIT
18DCA30020	300/20mm	Each
18DCA35020	350/20mm	Each
18DCA350	350/25.4mm	Each
18DCA450	450/25.4mm	Each



DA ASPHALT DIAMOND BLADE

High performance asphalt blade with 10mm segment height. Laser welded segment for increased cutting safety, performance and life. Suitable for cutting asphalt and extremely abrasive materials, including cement screed and lignacite blocks.

CODE	VARIABLE	UNIT
18DA300	300/20mm	Each
18DA350	350/25.4mm	Each



SD CERAMIC DIAMOND BLADE

Continuous rim diamond blade for cutting ceramic tiles.

CODE	VARIABLE	UNIT
18TDB115SD	115/22.2mm	Each



LST TURBO PORCELAIN DIAMOND BLADE

The OX Spectrum Ultimate Thin Turbo Diamond Blade is suitable for cutting ceramics. Featuring a smooth continuous diamond blade rim ensuring a fine clean cut.

CODE	VARIABLE	UNIT
18LST115	115/22.2mm	Each
18LST230	230/22.2mm	Each



2CM PORCELAIN & CERAMIC DIAMOND BLADE

Fast cutting unique diamond segment ensures swift and smooth cutting, making it easier and more accurate. Suitable for wet and dry cutting of porcelain, stone and other hard tiles.

CODE	VARIABLE	UNIT
18PDB250	250/25.4mm	Each



METAL GRINDING DISC

Discs for grinding and deburring welds and other steel applications. Not suitable for stainless steel.

CODE	VARIABLE	UNIT
18DIG115	115x6x22.23mm	Each
18DIG230	230x6x22.23mm	Each



METAL CUTTING DISC

Fast and precise cutting of sheet metal with minimal effort required. Discs do not contain iron, sulphur or chlorine so are suitable for stainless steel cutting applications.

CODE	VARIABLE	UNIT
18DIC115	115x3x22.23mm	Each
18DIC230	230x3x22.23mm	Each
18DIC300	300x3.5x20mm	Each
18DIC350	350x3x25.4mm	Each



METAL SLITTING DISC

Discs for cutting metal applications. Not suitable for stainless steel.

CODE	VARIABLE	UNIT
18DIS115	115x1x22.23mm	Each
18DIS230	230x1.8x22.23mm	Each



LINE MARKER PAINT

Suitable for all road marking systems, designed to produce high quality and highly visible lines, with high colour pigment and fast drying, ideal for marking a range of indoor and outdoor surfaces.

CODE	VARIABLE	UNIT
16SSP750BK	Black	750ml
16SSP750BU	Blue	750ml
16SSP750GN	Green	750ml
16SSP750OR	Orange	750ml
16SSP750RD	Red	750ml
16SSP750WH	White	750ml
16SSP750YW	Yellow	750ml



STIHL TWO STROKE OIL

One capsule mixes with 5L of petrol to create fuel for 2-Stroke engines.

CODE	VARIABLE	UNIT
04TSO01	One Shot 100ml	Each

CALL 01763 293999 TO PLACE YOUR ORDER NOW



HEAVY-DUTY WATERBOTTLE

Portable water feed for effective dust suppression with sawing and drilling equipment.

CODE	VARIABLE	UNIT
18WAB15	15L	Each



NYLON HI-VIS BRICK LINE

Helping you to achieve straight edges.

CODE	VARIABLE	UNIT
16BL105	76m/250ft	Each

SPEAK TO OUR CUSTOMER SERVICE TEAM FOR PRODUCT ADVICE CALL 01763 293999



TOUGH NYLON BRAIDED BRICK LINE

Ultra tough braided nylon brickline, coloured for high visibility.

CODE	VARIABLE	UNIT
16OXP104210	105m / 350ft	Each



NYLON DRAW ROPE

Strong nylon rope for general purpose use.

CODE	VARIABLE	UNIT
16NY0630	6mmx30m	Each
16NY06220	6mmx220m	Each
16NY08100	8mmx500m	Each
16NY1030	10mmx30m (heavy gauge nylon rope)	Each



BARRIER TAPE RED/WHITE

Come with a dispensing box. Non-adhesive barrier tape for cordoning off areas.

CODE	VARIABLE	UNIT
19BARR	72mmx500m	Each



CABLE TIE

Made from heat resistant nylon.

CODE	VARIABLE	UNIT
19CT36140	3.6x140mm	Pk100
19CT48370	4.8x370mm	Pk100
19CT76370	7.6x370mm	Pk100

READY TO EXPLORE EVEN MORE OF WHAT ONESITE OFFER?
VISIT US ON OUR WEBSITE ONESITEGROUP.COM



DEBRIS NETTING

Supplied as a single roll, with an extra close weave and thick monofilament yarn, not suitable for use as a safety net, but great as a privacy net or screen, or for open agricultural barns where the netting will afford some weather protection but still allow air flow.

CODE	VARIABLE	UNIT
19DN50	2x50m	Each



CONTRACTORS WHEELBARROW

Tubular frame with galvanised and powder-coated bucket. *Spare wheels (including tyre) also available.

CODE	VARIABLE	UNIT
16WHB85	85 Litre*	Each
16WHBT	Spare Wheel*	Each



CONTRACTORS WHEELBARROW PUNCTURE-PROOF

Tubular frame with galvanised bucket. Heavy-duty puncture-proof tyre.

CODE	VARIABLE
16WHBPP85	85 Litre w/ Heavy-duty Tyre



BARRIER FENCING ORANGE

Extruded orange barrier fence for use with steel road pins.

CODE	VARIABLE	UNIT
16BFO1	1x50m	Each



STEEL ROAD PIN

10mm mild steel fencing pin with shepherd hook to support barrier fencing. 1400mm o/a.

CODE	VARIABLE	UNIT
16SRP	Road Pin	Each



CARGO SLING 2 TONNE

Manufactured from lightweight but durable polyester for the lifting of heavy loads on site, with the material ensuring reduced risk of damage to items being lifted.

CODE	VARIABLE	UNIT
16CS2T2M	2 Metre	Each
16CS2T4M	4 Metre	Each



GREASE

Multi-purpose lithium grease with extreme pressure (EP) properties, suitable for general industrial use.

CODE	VARIABLE	UNIT
16GCL400	400g	Each



GREASE GUN

Standard side lever grease gun, takes 400g cartridges.

CODE	VARIABLE	UNIT
16GGSSL	Standard Side Lever	Each



HD RATCHET STRAP

Ideal for quickly securing light loads during transit or storage.

CODE	VARIABLE	UNIT
16RS2T06	2T 6m	Each
16RS5T08	5T 8m	Each



THERMOMETER

Heavy-duty can be used outdoor or indoor.

CODE	VARIABLE	UNIT
16MMT	Max/Min Thermometer	Each



FORKABLE MORTAR TUB

Our plastic mortar tubs are built to be moved around building sites using a forklift. Both the base and the rim can be used to pick up this tub. L1180 x W860 x H540mm.

CODE	VARIABLE	UNIT
16MTF250	250L	Each



BUILDERS BUCKET

Durable plastic 14 litre Builders Buckets for tough working conditions.

CODE	VARIABLE	UNIT
16BBBK	Black	Each
16BBYW	Yellow	Each

CALL 01763 293999 TO PLACE YOUR ORDER NOW



CONTRACTORS FORK

Solid forged 4 tines fork.

CODE	VARIABLE	UNIT
16F4P	Contractors Fork	Each



FIBREGLASS HANDLE SLEDGE HAMMER

Hardened high quality steel head, extremely strong fibreglass handle and with an ergonomic tough rubber grip collar.

CODE	VARIABLE	UNIT
16HAS10	10lb	Each
16OXT081507	7lb	Each



ALUMINIUM CONCRETE RAKE

1500mm long handle with soft grip, braced for additional strength. Unbelievably lightweight for easy spreading of thick concrete.

CODE	VARIABLE	UNIT
16ACR	100x500x1500mm	Each



CONCRETE EDGER

This features a high quality stainless steel blade for professional finishing of concrete edges. Its riveted handle support comes with a DURAGRIP handle for extra comfort.

CODE	VARIABLE	UNIT
16E18010	100x180mm 10mm Radius	Each

SITE EQUIPMENT, PPE, HANDTOOLS & BLADES

CALL 01763 293999 TO PLACE YOUR ORDER NOW



SQUARE MOUTH SHOVEL

Flat, straight-edged blade for clean lifting from hard surfaces. Ideal for clearing sand, gravel and spoil from slabs and road plate, and for mixing, backfilling and loading.

CODE	VARIABLE	UNIT
16SHSM	Square Mouth Shovel	Each



TAPER MOUTH SHOVEL

Tapered blade penetrates compacted and unbroken ground. The general-purpose choice for digging, turning and everyday site work in soil, and the natural first shovel for most trades.

CODE	VARIABLE	UNIT
16SHTM	Taper Mouth Shovel	Each



DRAINING SHOVEL

The longest, narrowest blade in the range. Designed to reach into deep drainage runs and channels to clear and finish the trench bottom after excavation.

CODE	VARIABLE	UNIT
16OXT280601	Draining Shovel	Each



CABLE LAYING SHOVEL

Blade profile developed for utility work. Narrow enough to open and clear duct trenches, and shaped to lift spoil from around existing services without damaging them.

CODE	VARIABLE	UNIT
16SHCL	Cable Laying Shovel	Each



TRENCHING SHOVEL

Narrow blade for cutting and clearing confined trenches while maintaining straight sides. Suited to pipe laying and any excavation where trench width must be kept to a minimum.

CODE	VARIABLE	UNIT
16SHTR	Trenching Shovel	Each



SOFT BROOMS

This broom is made from dried palm leaves. It provides good sweeping performance, best used in dry conditions as it can distort if used wet.

CODE	VARIABLE	UNIT
16BSO300	Soft 300mm	Each
16BSO450	Soft 450mm	Each
16BSO600	Soft 600mm	Each



HAND BRUSHES

Traditional wooden handled brushes for use on metal, concrete, rust and paint.

CODE	VARIABLE	UNIT
16HBSO	Soft	Each
16HBST	Stiff	Each
16HWB4	4 Row Wire	Each



STIFF BROOMS

This broom is made from dried palm leaves. It provides good sweeping performance, best used in dry conditions as it can distort if used wet.

CODE	VARIABLE	UNIT
16BST300	Stiff 300m	Each
16BST450	Stiff 450mm	Each
16BST600	Stiff 600mm	Each



TARMAC RAKE

CODE	VARIABLE	UNIT
16TAR	Tarmac Rake	Each

SITE EQUIPMENT, PPE, HANDTOOLS & BLADES



FIBREGLASS REEL TAPE

Professional 3:1 geared tapes. Shock and impact proof rubber casing. Double nylon coated fibreglass blade.

CODE	VARIABLE	UNIT
16RTC30	30m Closed Reel	Each
16RTO50	50m Open Reel	Each



SPIRIT LEVELS

Unique dual view. Silicone air cushioned handles. Shockproof end caps. Heavy-duty spirit level built for durability.

CODE	VARIABLE	UNIT
16SL060	600mm	Each
16SL090	900mm	Each
16SL120	1200mm	Each
16SL180	1800mm	Each



TORPEDO LEVEL

Tilted horizontal vial for direct view of bubble. 3 unbreakable acrylic shock-proof vials.

CODE	VARIABLE	UNIT
16SL025	250mm	Each



ONESITE TAPE MEASURE

Steel tape with metric and imperial measurements printed on both sides. High-impact resistant case.

CODE	VARIABLE	UNIT
16TM5OS	5m	Each
16TM8OS	8m	Each



RETRACTABLE FOLDING KNIFE

Ultra sharp cutting blade, tough metal construction, accepts most standard utility blades, blade storage in handle and is a compact design for easy storage.

CODE	VARIABLE	UNIT
16KRT	Folding Knife	Each



HEAVY-DUTY KNIFE BLADES

General purpose heavy-duty blades in dispenser. High quality SK2 steel. Extra flexible and durable.

CODE	VARIABLE	UNIT
16KB10	Blade Flat Knife	Pk10
16KB100	Blade Flat Knife	Pk100



HARDPOINT SAW

With dual ground teeth. Hardened and tempered steel blade.

CODE	VARIABLE	UNIT
16HSBAH550	Bahco 244 7tpi	Each
16HSBAHB550	Barracuda 244 7tpi	Each



HAND BLOCK SAW

With specially-designed large, hardpoint teeth for cutting cellular concrete.

CODE	VARIABLE	UNIT
16BSJAK	700mm	Each



BUILDERS GLOVE ORANGE

All purpose knitted builders glove with latex coating.

CODE	VARIABLE	UNIT
16GB08	M	Pair
16GB09	L	Pair
16GB10	XL	Pair



PU GLOVE

Lightweight nylon handling glove with PU coating.

CODE	VARIABLE	UNIT
16GPU08	M	Pair
16GPU09	L	Pair
16GPU10	XL	Pair

SPEAK TO OUR CUSTOMER SERVICE TEAM FOR PRODUCT ADVICE CALL **01763 293999**



NITRILE FOAM GLOVE

Lightweight, high dexterity gloves for dry or slightly oily applications.

CODE	VARIABLE	UNIT
16GNF08	M	Pair
16GNF09	L	Pair
16GNF10	XL	Pair



COLDSTORE GLOVE

Thermal fabric for extra warmth. Ideal for use in winter and cold conditions. Available in a range of sizes.

CODE	VARIABLE	UNIT
16GCS09	L	Pair
16GCS10	XL	Pair
16GCS11	XXL	Pair



FOAM LATEX WATERPROOF GLOVE

Fully dipped glove giving complete water resistance and protection to skin from oily substances. Great for light metal fabrication, part assembly and general handling.

CODE	VARIABLE	UNIT
16GLTW09	L	Pair
16GLTW10	XL	Pair
16GLTW11	XXL	Pair



PVC RED GAUNTLETS 18”

Liquid proof gauntlets. 450mm overall length.

CODE	VARIABLE	UNIT
16GPG18	XL	Pair



DUST MASK

For use against toxic dusts, mists and fumes. Vented dust masks give low resistance to breathing making them comfortable to wear.

CODE	VARIABLE	UNIT
16DMP2V	P2 Valved	Pk12
16DMP3V	P3 Valved	Pk10



HI-VIS WAISTCOAT YELLOW

Budget waistcoat conforming to EN471 class 2. Includes double band and brace.

CODE	VARIABLE	UNIT
16HVYWM	M	Each
16HVYWL	L	Each
16HVYWXL	XL	Each



HI-VIS WAISTCOAT ORANGE

Budget waistcoat conforming to EN471 class 2. Includes double band and brace.

CODE	VARIABLE	UNIT
16HVOWM	M	Each
16HVOWL	L	Each
16HVOWXL	XL	Each



SAFETY WELLINGTON BOOT

PVC/Nitrile Rubber Boot with steel toe cap and midsole protection.

CODE	VARIABLE	UNIT
16SWB08	Size 08	Pair
16SWB09	Size 09	Pair
16SWB10	Size 10	Pair
16SWB11	Size 11	Pair

CONTENTS

ACCESS BOX COVER	25
ADJUSTABLE BEND	10
AIRBRICK	52
ALUMINIUM CONCRETE RAKE	63
ANCHOR RESIN	54
ASPHALT DIAMOND BLADE	57
ATTENUATION CRATE	20
ATTENUATION TANK MEMBRANE	34
BAND SEAL 6"	17
BAND SEALS 4"	10
BARRIER FENCING ORANGE	61
BARRIER PIPE COUPLER	38
BARRIER TAPE RED/WHITE	60
BARRIER WATER PIPE	38
BARROW	61
BLACK JACK	44
BLOCK SAW	67
BOTTLE GULLY (RODDABLE) CIRCULAR 110MM	11
BOTTLE GULLY (RODDABLE) RECTANGULAR 110MM	11
BRANCH 110MM	9
BRANCH TRIPLE SOCKET 160MM	17
BRICK LINE	59
BRICK TIES	51
BROOM	65
BRUSH	65
BT DUCT 54MM GREY	30
BT DUCT 96.5MM GREY	30
BT DUCT BEND	30
BT DUCT BRANCH	30
BT DUCT COUPLER	30
BT DUCT FITTING 54MM GREY	30
BT DUCT FITTING 96.5MM GREY	30
BT STAKKABOX ACCESS CHAMBER	30
BUCKET	63
BUILDERS BUCKET	63
BUILDERS GLOVE ORANGE	67
BUMBLE PIN	61
BUTYL MASTIC JOINTING TAPE	45
CABLE LAYING SHOVEL	64
CABLE TIE	60
CARGO SLING 2 TONNE	62
CAVITY TIES	51
CERAMIC DIAMOND BLADE	57
CHAMBER RESTRICTOR 450MMØ	15
CHAMBER RESTRICTOR 600MMØ	18
CHAMBER RISER 280MMØ	14
CHAMBER RISER 320MMØ 130MM RISE	14
CHAMBER RISER 320MMØ 400MM RISE	14
CHAMBER RISER 450MMØ	15
CHAMBER RISER 450MMØ	18
CHAMBER RISER 600MMØ	18
CHAMBER RISER SEAL 450MMØ	15
CHAMBER RISER SEAL 600MMØ	18
110MM CHAMBER BASE 280MMØ	14
110MM CHAMBER BASE 320MMØ 3-INLET	14
110MM CHAMBER BASE 320MMØ 5-INLET	14
110MM CHAMBER BASE 450MMØ	15
160MM CHAMBER BASE 450MMØ 5-INLET	18
160MM CHAMBER BASE 600MMØ 5-INLET	18
CHANNEL DRAIN	26, 27, 28
CHANNEL DRAIN SUMP	27
CHEMFIX RESIN	54
CHEMICAL ANCHOR RESIN	54
CHOOSING THE RIGHT CHANNEL DRAIN	22
CLAY AIRBRICK TERRACOTTA	52
CLEAR POLYTHENE SHEETING	44
CLOTH TAPE	42
COLDSTORE GLOVE	68
CONCRETE EDGER	63
CONCRETE GULLY SURROUND	13
CONCRETE LINTEL 100X65MM	43
CONCRETE LINTEL 140X65MM	43
CONCRETE RAKE	63
CONTRACTORS FORK	63
CONTRACTORS WHEELBARROW	61
CONTRACTORS WHEELBARROW PUNCTURELESS	61
COUPLER DOUBLE SOCKET 110MM	8
COUPLER DOUBLE SOCKET 160MM	16
CUTTING DISC METAL	58
D400 MANHOLE COVER	25
DAMP PROOF MEMBRANE	43
DAMP PROOF MEMBRANE JOINTING TAPE	43
DEBRIS NETTING	61
DETECTABLE TAPE	33
DIAMOND BLADE	56, 57, 58
DOUBLE-SIDED BUTYL MASTIC JOINTING TAPE	45
DOUBLE SIX DIAMOND BLADE	56
DOUBLE SOCKET BEND ADJUSTABLE 110MM	10
DOUBLE SOCKET BENDS 110MM	9
DOUBLE SOCKET BENDS 160MM	16
DOUBLE TRIANGLE MANHOLE COVER	25
DOWNPIPE ADAPTOR	13
DPC	50
DPM	43
DRAIN TEST PLUG 110MM	19
DRAIN TEST PLUG 160MM	19
DRAINAGE CRATE	20
DRAINING SHOVEL	65
DRAW ROPE	60
DUCT ADAPTOR	52
DUCT TAPE	42
DUST MASK	69
ECO-BLOCK GROUND SUPPORT BLACK	40
ELECTRIC DUCT	32
ELECTRIC METER BOX	53
ENATS APPROVED ELECTRIC DUCT	32
FIBREGLASS HANDLE SLEDGE HAMMER	63
FIBREGLASS REEL TAPE	66
FIRE COLLAR FIRE STOP SEAL 110MM	11
FLEXIBLE ADAPTOR 100-115MM TO 100-115MM	10
FLEXIBLE ADAPTOR 100-115MM TO 75-89MM	10
FLEXIBLE ADAPTOR 110-121MM TO 121-137MM	10
FLEXIBLE ADAPTOR 110-122MM TO 170-192MM	10
FLEXIBLE ADAPTOR 150-165 TO 150-165MM	17
FLEXIBLE ADAPTOR 160-180MM TO 180-200MM	17
FLOOR SAW DIAMOND BLADE	56
FOAM LATEX WATERPROOF GLOVE	68
FOLDING KNIFE	66
FORK	63
FORKABLE MORTAR TUB	62
GAS BARRIER FOIL JOINTING TAPE	46
GAS BARRIER MEMBRANE	45
GAS MEMBRANE TOP HAT UNIT	46
GAS METER BOX	53
GAS RESISTANT DPC	45
GAUNTLETS	68
GENERAL PURPOSE & ASPHALT DIAMOND BLADE	57
GENERAL PURPOSE DIAMOND BLADE	56
GEOTEXTILE LANDSCAPING FABRIC NON-WOVEN 2M	40
GEOTEXTILE LANDSCAPING FABRIC NON-WOVEN 4.5M	40
GEOTEXTILE LANDSCAPING FABRIC WOVEN	40
GLOVES	67
GRASS GRID	40
GREASE	62
GREASE GUN	62
GRINDING DISC METAL	58
GROUND SUPPORT GRID	40
GROUT	54
GULLY GRATE HINGED	20
GULLY POT	20
GULLY SURROUND	13
HAND BLOCK SAW	67
HAND BRUSHES	65
HAND SAW	67
HARDPOINT SAW	67
HD RATCHET STRAP	62
HEAVY DUTY WATERBOTTLE	59
HEAVY-DUTY KNIFE BLADES	66
HESSIAN	52
HI-VIS WAISTCOAT YELLOW	69
HI-VIS WAISTCOAT ORANGE	69
HIGH LOAD DPC	50

HIGH PERFORMANCE DPC	50
HIGH PERFORMANCE TANKING PRIMER	46
HINGED GRATE	20
HOCKEY STICK	53
HOPPER	12
HOPPER REPLACEMENT GRID	13
HOSE UNION BIB TAP BRASS ¾”	38
HOUSING DPC	50
IMPERMEABLE GEOMEMBRANE	34
KNIFE	66
KNIFE BLADES	66
LAND DRAIN	20
LATEX GLOVE	68
LEVEL	66
LEVEL INVERT REDUCER	17
LIFTING STRAP	62
LINE MARKER PAINT	59
LIQUID BITUMEN DPM	44
LONG RADIUS BEND PLAIN END 110MM	11
LOW LEVEL P TRAP GULLY 110MM	12
LOW TRAP UNIVERSAL GULLY 110MM	12
LUBRICANT	19
LUBRICANT GEL	19
MANHOLE BASE 110MM	14, 15
MANHOLE COVER BLOCK PAVIOR	24
MANHOLE COVER DUCTILE IRON B125	25
MANHOLE COVER DUCTILE IRON D400 DOUBLE TRI	25
MANHOLE COVER KEYS	26
MANHOLE COVER PLASTIC ROUND	24
MANHOLE COVER PLASTIC SQUARE	24
MANHOLE COVER PRESSED STEEL GALVANISED	25
MANHOLE COVER SCREED	24
MANHOLE RESTRICTOR	15, 18
MDPE COUPLER	37
MDPE ELBOW 90°	37
MDPE END CAP	37
MDPE PIPE INSERT	38
MDPE PLASTIC STOPCOCK	38
MDPE REDUCING COUPLER	37
MDPE SEWERAGE PIPE	36
MDPE TEE	37
MDPE UNIVERSAL ADAPTOR TO 15-22MM	38
MDPE WALL PLATE ELBOW ¾”	37
MDPE WATER PIPE 25MM	36
MDPE WATER PIPE 32MM	36
MDPE WATER PIPE 50MM	36
METAL CUTTING DISC	58
METAL GRINDING DISC	58
METAL SLITTING DISC	58
METER BOX HOCKEY STICK	53
METER BOX KEY	53
METER BOX RECESSED ELECTRICITY	53
METER BOX RECESSED ELECTRICITY 3-PHASE	53
METER BOX RECESSED GAS	53
MORTAR ADMIX	50
MORTAR TUB	62
MULTI-STEEL DIAMOND BLADE	56
NITRILE FOAM GLOVE	68
NON-RETURN VALVE	13
NON-SHRINK GROUT	54
NYLON DRAW ROPE	60
NYLON HI-VIS BRICK LINE	59
ONESITE TAPE MEASURE	66
OPTIMIX MORTAR PLASTICISER	50
ORANGE FENCING	61
PAINT ROLLER	45
PAVIOR COVER	24
PERFORATED GAS DUCT YELLOW	32
PERFORATED LAND DRAIN	20
PERFORATED PIPE SINGLE SOCKET 110MM	8
PERISCOPE VENT DUCT ADAPTOR 110MM	52
PERISCOPE VENT EXTENSION	52
PERISCOPE VENT TELESCOPIC	51
PIPE CHAMFER TOOL 110MM	19
PIPE LUBRICANT	19
PIPE PLAIN END 110MM	8
PIPE SINGLE SOCKET 110MM	8
PIPE SINGLE SOCKET 160MM	16
PLASTIC REINFORCING SPACER	42
PLASTICISER	50
POLYMER CONCRETE A15	26
POLYMER CONCRETE B125	27
POLYMER CONCRETE B125 SILT BOX SUMP	27
POLYMER CONCRETE D400	27
POLYMER CONCRETE D400 SILT BOX SUMP	27
POLYPROPYLENE A15	26
POLYPROPYLENE A15 SHALLOW	26
POLYPROPYLENE BLOCK SLOT A15	28
POLYTHENE DAMP PROOF COURSE	50
POLYTHENE DAMP PROOF MEMBRANE	43
POLYTHENE ELECTRIC DUCT	32
POLYTHENE HEAVY DUTY CLEAR 250MU/1000G 4X25M	44
POLYTHENE TEMPORARY SHEETING 35MU/140G	44
POLYTHENE VAPOUR BARRIER 125MU/500G	44
PORCELAIN & CERAMIC DIAMOND BLADE	58
PRESSED STEEL MANHOLE COVER	25
PU GLOVE	67
PUMPED SEWERAGE PIPE	36
PVC AIRBRICK 9X3”	52
PVC RED GAUNTLETS 18”	68
PVC TAPE	43
RAKE	65
RATCHET STRAP	62
REBAR	42
REBAR PROTECTION CAPS	42
RECESSED MANHOLE COVER	24
RECTANGULAR HOPPER	12
REDUCING BRANCH TRIPLE SOCKET	17
REINFORCING BAR	42
RESIN	54
REST BEND	10
REST BEND DOUBLE SOCKET	10
RETRACTABLE FOLDING KNIFE	66
ROAD GULLY	20
RODDING EYE	13
ROPE	60
ROUND DOWNPIPE ADAPTOR BLACK	13
SAFETY WELLINGTON BOOT	69
SAW	67
SCREED COVER	24
SELF ADHESIVE DAMP PROOF TANKING MEMBRANE	46
SERVICE LINTEL	43
SEWERAGE PIPE	36
SHOVEL	64, 65
SILICONE SPRAY	19
SILT TRAP 110MM	21
SILT TRAP 160MM	21
SINGLE SOCKET BENDS 110MM	9
SINGLE SOCKET BENDS 160MM	16
SLEDGE HAMMER	63
SLIP COUPLER DOUBLE SOCKET 110MM	8
SLITTING DISC METAL	58
SLOT DRAIN	28
SOAKAWAY CRATE	20
SOCKET PLUG 110MM	11
SOCKET PLUG 160MM	17
SOFT BROOMS	65
SPADE	64, 65
SPIRIT LEVELS	66
SPRAY PAINT	59
SQUARE HOPPER	12
SQUARE MOUTH SHOVEL	64
SQUARE RODDING POINT	13
SQUARE/ROUND DOWNPIPE ADAPTOR	13
STANDARD PAINT ROLLER KIT	45
STEEL ROAD PIN	61
STIFF BROOMS	65
STIHL TWO STROKE OIL	59
STOPCOCK	38
STOPCOCK COVER	26
STRIKE RELEASE OIL	42
STROP FOR LIFTING	62
SURVEY LINE SPRAY PAINT	59
T BRANCH 110MM	9
TANKING MEMBRANE	46
TANKING PRIMER	46
TAPE MEASURE	66
TAPER MOUTH SHOVEL	64
TAR BRUSH	45

TARMAC RAKE	65
TELESCOPIC VENT EXTENSION	52
TELESCOPIC VENT	51
THERMOMETER	62
THREE PHASE METER BOX	53
THRESHOLD CHANNEL DRAIN	28
TOP HAT	46
TORPEDO LEVEL	66
TOUGH NYLON BRAIDED BRICK LINE	60
TRAP	12
TRENCHING SHOVEL	64
TURBO PORCELAIN DIAMOND BLADE	57
TWINWALL ELECTRIC DUCT 148/125MM	32
TWINWALL LIGHT ACCESS BOX	31
TWINWALL UTILITY DUCT 110/94MM	31
TWINWALL UTILITY DUCT 160/137MM	31
TWINWALL UTILITY DUCT 63/50MM	31
TWO STROKE OIL	59
TYING WIRE	42
TYPE 4 WALL TIES	51
UKPN APPROVED ELECTRIC DUCT	32
UNDERFLOOR VENT	51
UNDERGROUND WARNING DETECTABLE TAPE	33
UNDERGROUND WARNING TAPE	33
UNDERGROUND WARNING TILE TAPE	33
UTILITY DUCT	31
VALVE NON-RETURN	13
VAPOUR BARRIER	44
VISQUEEN HOUSING GRADE DPC	50
VISQUEEN ZEDEX CPT POLYMERIC DPC	50
WAISTCOAT	69
WALL TIE TYPE 1	51
WALL TIE TYPE 2	51
WALL TIE TYPE 4	51
WARNING TAPE	33
WATER MAIN	36
WATER PIPE	36
WATER PIPE FITTINGS	37, 38
WATER STOPCOCK COVER	26
WATERBOTTLE	59
WELLINGTON BOOT	69
WHAT'S THE PURPOSE OF GEOGRID	47
WHEELBARROW	61
WIRE BRUSH	65
Y BRANCH 110MM	9
YARD GULLY	20
YARD GULLY SILT BUCKET	20
ZEDEX DPC	50

DOING BUSINESS

PAYMENT TERMS

Cash – One-off requirements.
If your requirement is a one-off or you rarely purchase materials or building products, you can pay for your goods upfront, either by cash, card or bank transfer.

Cash Account – Know where you stand.
This facility is for customers who have regular material requirements and wish to receive trade discounts, special offers and extra support.

30 Day Credit Account – Very convenient. Opening a Credit Account is straightforward and provides a solution to trade customers with a medium to high trading requirement. Statements are issued monthly and credit terms are strictly 30 days.

RETURNS POLICY
Stock items may be returned within 30 days of purchase provided that: 1. They are in original condition; 2. They are still in original packaging; 3. A copy of invoice or invoice number is given. A 20% handling charge will apply to all goods returned.

Goods returned to our Trade Counter by the customer will be subject to a 10% re-stocking charge.

All special order goods are non-refundable. Please note that our delivery drivers are not authorised to collect goods, unless with an official returns document.

Copyright: The whole of this catalogue is covered by copyright and must not be reproduced in part or in whole by photocopying, electronic reproduction, mechanical reproduction or by any other means without the prior permission of OneSite Building Products Ltd. Images: Please note products may vary from images shown.

ONESITE GROUP

NOTES

ONESITE GROUP

HEAD OFFICE:
MERCHANTS HOUSE, GAPTON HALL ROAD, GREAT YARMOUTH, NR31 0RD

- NUTHAMPSTEAD, HERTFORDSHIRE
- GREAT YARMOUTH, NORFOLK
- LOWESTOFT, SUFFOLK

EMAIL SALES@ONESITEGROUP.COM
CALL 01763 293999